

MATERIAL SAFETY DATA SHEET

Manufacturer: Amark, Inc.
31848 SE Pipeline Rd.
Gresham, OR 97080
Telephone # 503-663-9257
Fax # 503-663-2850

Date Prepared 04/04/2007

SECTION I - PRODUCT DESIGNATION

TRADE NAME (AS LABELED): Fluorescent Lumber Crayons (all colors/grades)
CHEMICAL NAME: Proprietary
COMMON NAME: Petroleum based, wax crayon

HAZARD RATING:

HEALTH: 0

FLAMMABILITY: 1

REACTIVITY: 0

HAZARD RATING SCALE:

0=MINIMAL 3=SERIOUS

1=SLIGHT 4=SEVERE

2=MODERATE

SECTION II - HAZARDOUS INGREDIENTS

NONE

SECTION III - PHYSICAL & CHEMICAL DATA

APPEARANCE & ODOR: Odorless, opaque solid

EVAPORATION RATE: N/A

VAPOR DENSITY: N/A

SOLUBILITY IN WATER: Insoluble

BOILING POINT: N/A

VAPOR PRESSURE: N/A

SPECIFIC GRAVITY: 1.2

SECTION IV - FIRE, REACTIVITY, & EXPLOSION DATA

FLASH POINT: N/A

FLAMMABLE LIMITS IN AIR, VOLUME %: N/A

UNUSUAL FIRE & EXPLOSION HAZARDS: None

INCOMPATIBILITY: Strong oxidizing agents

HAZARDOUS DECOMPOSITION PRODUCTS:

Oxides of carbon, nitrogen, and phosphorus

HAZARDOUS POLYMERIZATION: Will not occur

SPECIAL FIRE FIGHTING PROCEDURES: In case of fire involving this material, do not enter the fire area without proper protective equipment, including self-contained breathing apparatus.

CONDITIONS TO AVOID: Temperatures above 115 F.

SECTION V - HEALTH HAZARD DATA

THRESHOLD LIMIT VALUE: Treat as an inert solid

SYMPTOMS OF EXPOSURE: N/A

CHRONIC OVEREXPOSURE: N/A

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: N/A

CHEMICAL LISTED AS CARCINOGEN: NO

NATIONAL TOXICOLOGY PROGRAM: NO

I.A.R.C.:NO

OSHA: NO

OSHA PERMISSIBLE EXPOSURE LIMIT: Unknown

ACGIH THRESHOLD LIMIT VALUE: Unknown

EMERGENCY & FIRST AID PROCEDURES: Inhalation-move to fresh air.

Eyes-flush with water. Skin-wash w/ soap & water. Ingestion-dilute with water induce vomiting if large amounts are ingested.

SECTION VI - SPECIAL PROTECTION INFO.

RESPIRATORY PROTECTION: Not necessary

LOCAL EXHAUST: N/A

PROTECTIVE GLOVES: N/A

PROTECTIVE CLOTHING: Use in accord with good industrial practice.

VENTILATION: Not Necessary

MECHANICAL: N/A

EYE PROTECTION: Not Necessary

SECTION VII - PRECAUTIONS, SPILLS

HANDLING & STORAGE: Do not use or store near heat or open flame. Store in a cool, dry place away from direct sunlight. Do not store in temperatures above 100 degrees Fahrenheit.

MATERIAL SPILL: If material is not contaminated, place in clean container for disposal

WASTE DISPOSAL: Sanitary landfill in accordance with local, state, and, federal regulations.